

## SUBJECT INDEX

- Acquatraversan erosional phase 55, 61
- Acidification and paleolimnology  
 chironomids as indicators 35, 36  
 diatoms as indicators: European lakes 153-9; N American lakes 150-3  
 principles 147-50
- Aghnadarragh Interstadial 275-7
- Aghnadarragh stratigraphy 273, 274
- Agrio, Lake 105, 106, 108
- Aguarico, River 103, 105, 106
- Ahvenainen, Lake 13
- Altai Mt stratigraphy 309
- Amazon Basin  
 geography 95, 96  
 paleoecological records  
 arid climate 99  
 erosion 103-5  
 fire 111  
 flood 105-7  
 precipitation 107-11  
 temperature 102, 103  
 rainforest refugia concept 96-8, 112
- Amino acid racemization  
 Arrhenius equation theory 44-8, 53  
 geochronology: bones 25-8; molluscs 49-51, 246  
 paleothermometry 49-52
- Anangucocha 105, 107, 108
- Aridity records in tropics 97-9
- Arno Valley stratigraphy 56
- Arnold, Lake 153
- Arran, Isle of 15, 16
- Arrhenius equation and amino acid racemization 44-8, 53
- Athdown event 279
- Aughrim event 279
- Aulla erosional phase 57, 61
- Baffin Bay  
 Late Quaternary sedimentation 235-41  
 marine currents 231, 232
- Baffin Island Wisconsinan glaciation 232, 233
- Ballybetagh substage 265
- Ballycroneen and Ballycroneen till 261, 272, 279, 280
- Ballylanders type site 261
- Ballymakegoge type site 261, 269
- Banco d'Ibiza stratigraphy 248, 254
- Bannow and Bannow till 270, 279, 280
- Barrine, Lake 84-7
- Barrow (Alaska) tundra studies 166-9
- Belderg shelly till 291, 292
- Big Moose Lake pH profile 152, 153
- Big Woods (Minnesota) charcoal and fires 11, 12
- Bitterroot Mountain (Montana) charcoal and fires 13, 14
- Black Loam Formation 193, 194, 207, 313
- Black Moss of Achnacree (Scotland) charcoal and fires 15
- Blacksbjerg (Denmark) charcoal and fires 11
- Blanket Nook till 291
- Blassac (France) *Equus* records 60-2
- Boleyneendorrish type site 261, 264, 265, 267
- Bone dating 25, 27, 28
- Bonfield Gill (England) charcoal and fires 15
- Bosumtwi, Lake 82, 84
- Bovevagh till 275, 291, 292
- Bowl (Australia) charcoal and fires, The 14
- Brårvatn lake acidification 155, 157-9
- Burnfoot till 291
- Burnmoor Tarn pollen profile 153, 154
- <sup>14</sup>C dating of loess 198
- Cahore stratigraphy 270
- Cajú, Lake 109, 110
- Cala Pi stratigraphy 248-50
- Camp de Mar stratigraphy 248, 252
- Campo de Tiro stratigraphy and dating 248, 250, 252-4
- Canada, soil development in *see* soils
- Canyamel stratigraphy and dating 249, 250, 252, 253
- Carbon budgets  
 future of 175, 176  
 in biosphere 165, 166  
 in soils  
 taiga 169-75  
 tundra 166-9
- Carbon-14 dating of loess 198
- Carbonates in loess 207, 208
- Carey Valley stratigraphy 293
- Cartnege stratigraphy and dating 248, 250, 252, 254
- Carya* distribution in late Quaternary 131-8
- Casa Frata (Italy) *Equus* records 60, 61
- Cassian erosional phase 57, 61
- Castelnuovo dei Sabbioni Group 56, 57
- Castlepook Cave deposits 277, 278
- Cava Bancals stratigraphy 249, 250
- Central Peten Historical Ecology Project (CPHEP) 117-20
- Charcoal in paleoecology  
 analytical techniques  
 elemental analysis 17, 18  
 magnetic measures 18, 19  
 microscopy 9-18  
 production and distribution 4-8  
 sampling methods 8, 9
- Chilhac (France) *Equus* records 59, 61
- China  
 glacial stratigraphic history  
 eastern area 301-8  
 western area 308-11  
 loess stratigraphy 191-4  
 climatic interpretation 209-16
- Chironomidae  
 biology 29, 30  
 classification 30, 31  
 morphology 31  
 preparation for identification 32, 33  
 taphonomy 31, 32  
 use in paleoecology 33-8
- Climate in Pleistocene  
 Chinese loess indicators 204-9  
 interpretation 209-16  
 periodicity 216, 217
- Clogga event 279
- Collagen racemization 25-7
- Connachtian 270
- Cornillet (France) *Equus* records 59, 61
- Courtmacsherry stratigraphy 263, 265, 268, 269, 272, 280, 281
- Cova de sa Gata stratigraphy 248, 250, 252
- Crostolo (Italy) *Equus* records 60, 61
- Cuenca del Tajo (Spain) *Equus* records 59
- Cueva del Congosto y de la Figuras (Spain) *Equus* records 60
- Cueva Victoria (Spain) *Equus* records 60, 61
- Cullar de Baza (Spain) *Equus* records 60-2
- Cuminá, Lake 110
- Cunro, Lake 107
- Da Gu glaciation 302, 303
- Dabusan Lake stratigraphy 310
- Dali glaciation 305
- Dating techniques *see* amino acid racemization; magnetic reversals; magnetic susceptibility; radiocarbon; thermoluminescence; thorium isotope; U series
- Derryvree Cold Phase 277, 278
- Derryvree Interstadial 265

- Derryvree type site stratigraphy 261, 273, 274
- Diatoms in paleolimnology
- European lake studies 153-9
  - N American lake studies 150-3
  - principles 147-50
- DlpH technique 147, 149
- Diptera *see* Chironomidae
- Drogheda till 282
- Drumlin phase in Ireland 290, 291
- Dundalk Bay stratigraphy 283-6
- Eastern General glacial system 263
- Ecosystems
- factors affecting stability 115-17
  - human impact
    - Florida 122-6
    - Guatemala 117-20
    - Haiti 120-2
    - N America 143
- El Junco, Lake 98
- Epimerization of amino acids 44
- Equus* in Mediterranean stratigraphy 60-3
- E. caballus* occurrence 59, 60
  - E. stenonis* occurrence 59, 60
- Erosion record in Amazon rainforest 103-5
- Everitt Lake charcoal and fires 14
- Facies analysis in Irish Sea drift 281-90
- Fairbanks (Alaska) taiga studies 169-75
- Farneta Faunal zone 57, 61, 62
- Farneta (Italy) *Equus* records 60, 61
- Fenit type site 273
- Fenitian Stage 265
- Feohanagh Pollen Sands 270
- Fermanagh Stadial 265, 273-5
- Ferrimagnetic oxides and fire history 18, 19
- Fire in paleoecology 3, 19, 20, 111
- Flaminian erosional phase 61
- Flooding and Amazon paleoecology 105-7
- Florida lake district paleoecology 122-6
- Forest dynamics in late Quaternary
- temperate
    - community relationships 140-3
    - dominance changes 131-8
    - human impact 143-5
    - migration rates 138-40
  - tropical 103-5
- Foxe Glaciation 231, 232
- Fraxinus* distribution in late Quaternary 131-8
- Fuensanta (Spain) *Equus* records 60, 61
- Galerian Stage 61-3
- Galheiro, Lake 110
- Gårdsjön lake acidification 153, 154
- Garryvoe and Garryvoe till 261, 272
- Gastropods in loess 204, 205
- Glacial erosion in Arctic Canada 232
- Glacial melting and marine sediments 236, 237
- Glacials and O-isotope stages 187, 189
- Glenasmole type site 261
- Glenavy Stadial 273, 274, 278
- Gongba conglomerate 308
- Gortian Stage
- deposits 261, 265-9
  - typical taxa 264, 265
- Greenagho stratigraphy 274
- Guatemala paleoecology 117-20
- Hacketstown substage 279
- Haiti paleoecology 120-2, 126
- Hantengri Mt stratigraphy 309
- Hipparion* clays *see* Red Clays
- Hipparion rocinantis* 59
- Hollybrook stratigraphy 274
- Hollymount Cold Phase 274, 277
- Hollymount stratigraphy 274
- Holmvatn lake acidification 155, 157-9
- Human impact on ecosystems
- eutrophication in lakes 35
  - in Florida 122-6
  - in Guatemala 117-20
  - in Haiti 120-2
  - in N America 143
  - tropical rainforests 86-8
- Ice volume and O-isotope record 187, 190
- Icebergs and sedimentation 236-8
- INQUA 179
- Interglacials and O-isotope stages 187, 188
- Ireland
- glacial deposits and ice limits 260, 262, 278-81, 291-6
  - Interglacial sites 264-9
  - Interstadial sites 266, 275-8, 292
  - Quaternary stratigraphy
    - history and development 259-63
    - problems 263, 264
    - recommendations 261
- Irish Sea drifts 281-90
- Iron oxides in loess 209
- Kangrinboqe Mt stratigraphy 308
- Karakorum Mts stratigraphy 309
- Karawucheng Mt stratigraphy 309
- Kd index in loess 209
- Kilmore Quay stratigraphy 270
- Kunlun Mts stratigraphy 309
- La Juliana (Spain) *Equus* records 57, 58
- La Malouteyre (France) *Equus* records 60-2
- La Puebla de Valverde (Spain) *Equus* records 59, 61, 62
- La Roche Lambert (France) *Equus* records 59, 61
- Labrador Sea
- marine currents 231, 232
  - sedimentation in Late Quaternary 235-41
- Lachar (Spain) *Equus* records 60, 61
- Lake District (England) acidification studies 153
- Lake of Clouds 13
- Lakes
- classification methods 33, 34
  - drainage basin ecology 116, 117
  - Haiti 120-2
  - Peten region 117-20
  - paleoecological studies
    - acidification 35, 36, 147-50
    - eutrophication 35
    - paleoclimate 36, 37
    - salinity 36
- Las Higuieruelas (Spain) *Equus* records 59
- Le Coupet (France) *Equus* records 59, 61
- Le Ville (Italy) *Equus* records 60, 61
- Les Etouaires *Equus* records 57
- Limnology *see* lakes
- Limoncocha 105, 107, 108
- Lishi Loess Formation
- fossil content 198, 204-6
  - physical characters 193, 207, 211-13
  - stratigraphic correlation 305
- Littletonian Stage 261, 265
- Loess
- climatic interpretations 204-9
  - dating techniques 198-204
  - definition 191
  - stratigraphy in China 191-4
- Loong 302, 303
- Loughred Series 265
- Luochuan loess stratigraphy 191-4, 204
- Luohe River terrace development 196-7
- Lushan piedmont glacial features debated 301-3, 306-8
- Lymnaea* epimerization 46
- Magnetic reversal stratigraphy in loess 199, 200
- Magnetic susceptibility
- fire history 18, 19

- loess stratigraphy
  - climate 208, 209
  - dating 200-4
- Maguiresbridge Formation 265, 273
- Malagrotta (Italy) *Equus* records 60, 61
- Malan Loess Formation
  - fossil content 198, 204-7
  - physical characters 193, 211, 212
  - stratigraphic correlation 305, 312, 313
- Mallorca
  - amino acid and U series geochronology 249-53
  - shoreline stratigraphy 246-9, 253-5
  - tectonic stability 255, 256
- Man *see* human
- Matussino (Italy) *Equus* records 59, 61
- Mayan civilization
  - development 117, 118
  - ecological impact 118-20, 126
- Mell stratigraphy 283
- Mera (Equador) Glacial age pollen 99-102
- Midland General glacial system 263, 273
- Midlandian Stage 261, 273-8
- Miragoane Lake paleoecology 120-2, 126
- Monte Oliveto (Italy) *Equus* records 60, 61
- Montevarchi Group 56, 57
- Montopoli *Equus* records 55, 57, 59, 61
- Mud Pond (Maine) PIRLA study 150-2
- Munsterian Stage 261, 269-73
  
- Nahanagan Moraines 265
- Nahanagan Stadial 273, 274, 292
- Napo River 103
- Nautica Mts 248, 252
- Neotyrrenian 254
- New Guinea terrace data 184-7
- Newtown stratigraphy 272
- Ngari Mts stratigraphy 309
- Nienixiongla glaciation 312
- Nihewan Formation 308
- Nyainqentanglha Range stratigraphy 308
  
- Ocean Point (Alaska) tundra studies 167
- Olivola Faunal zone 56, 57, 61
- Olivola (Italy) *Equus* records 59, 61
- Ontogeny in Chironomidae 33-5
- Oxygen isotope record
  - factors affecting 183-5
  - loess record compared 202, 209-16
  
- Paguerra, Playa de 248, 250, 252
- Paleoecological analyses
  - climate 36, 37
  - limnology 33-8, 147-50
  - temperature 49-52
- Paleoecological investigation of Recent Lake Acidification (PIRLA) 147, 149, 150
- Paleosols in China 194-6
- Pardines (France) *Equus* records 59, 61
- Parker, Lake 125, 126
- Peten (Guatemala) paleoecology 117-20
- Picea* distribution in late Quaternary 131-9
- Pinus* distribution in late Quaternary 131-8
- PIRLA project 147, 149, 150
- pH in lakes 147-50
- Phosphorus in lakes 119
- Pliocene-Pleistocene boundary position 41, 42
- Poggio Mirteto (Italy) stratigraphy 58, 59
- Pollen spectra
  - loess 205-7
  - mid Holocene of England and Scotland 154, 155
  - tropical rainforest 78, 79
- Ponton de la Oliva (Spain) *Equus* records 60-2
- Populus* distribution in late Quaternary 131-8
- Poyang glaciation 302, 303
- Pozo de Valverde de Calatrava (Spain) *Equus* records 60, 62
- Precipitation records in Amazon forest 107-11
- Prudhoe Bay (Alaska) tundra studies 167
  
- Qiaoe Mt stratigraphy 309
- Qilian Mt stratigraphy 309
- Qinghai-Xizang Plateau glacial features 308-11
- Qomolangma glaciation 312
- Qomolangma Mt stratigraphy 308
- Quercus* distribution in late Quaternary 131-9
- Quexil, Lake 118, 119
  
- Racemization of amino acids 44
- Radiocarbon dating of loess 198
- Rainforest, tropical
  - distribution 77, 78
  - Holocene 83-6
  - Late Quaternary 79-83
- factors affecting distribution
  - aridity 96-9
  - erosion 103-5
  - flooding 105-7
  - human impact 86-8
  - temperature 102, 103
- pollen assemblages 78, 79
- refugia concept 93-5
- Ranuccio Anagni (Italy) *Equus* records 60, 61
- Red Clays (Hipparion Clays) 192, 198, 200
- Rincon (Spain) *Equus* records 55, 56, 59, 61
- Roca Neyra (France) *Equus* records 59
- Roddans Port type sites 261
- Round Loch pollen profile 153, 155
  
- Sacnab, Lake 118, 119
- Saint Vallier Faunal zone 56, 57, 61
- Saint Vallier (France) *Equus* records 59, 61, 62
- Saint Vidal (France) *Equus* records 59, 61
- Sainzelles (France) *Equus* records 60-2
- Salinity studies in lakes 36
- Salpeten, Lake 118, 119
- San Giacomo (Italy) *Equus* records 56, 59, 61, 62
- San Onofre (Spain) stratigraphy 58
- Saturated isothermal remnant magnetism (SIRM) 18, 19
- Screen Hills Complex 281, 282
- Sea level
  - Mallorcan coastal stratigraphy 255
  - oxygen isotope record 184-7
- Sedimentation rates in Late Quaternary
  - methods of estimation 233-5
  - results 235-41
- Seneze (France) *Equus* records 60, 61
- Shortalstown warm stage 268
- S'lllot stratigraphy 249, 250, 253
- Slivia (Italy) *Equus* records 60-2
- Soils in Canada
  - Arctic 225, 226
  - Atlantic Provinces 221-3
  - Cordillera 228, 229
  - Great Lakes 223-5
  - Hudson Bay 223-5
  - Interior Plains 227, 228
  - Mackenzie Valley 226, 227
  - Rocky Mts 227, 228
  - Shield areas 223-5
  - West Coast 228, 229
  - Yukon 226, 227
- Soils in China, loessial 194-6
- Solihac (France) *Equus* records 60, 61
- Son Grauet stratigraphy 248, 250-3
- South Ireland End Moraine (SIEM) 262, 263, 267, 278
- Spircha till 291
- Surara, Lake 110
  
- Taibai Mt stratigraphy 309
- Taiga soils carbon balance 169-75
- Tanana River Valley taiga studies 169-75
- Tanggula Shankou stratigraphy 308
- Tasso Faunal zone 56, 57, 61
- Tasso (Italy) *Equus* records 60, 61
- Temperature variation
  - CO<sub>2</sub> levels 165

- in Ice Age Amazonia 102, 103
- Terra Nova, Costa da 107-9, 110
- Terrace development and loess stratigraphy 196, 197
- Teshkpuk Lake (Alaska) tundra studies 167
- Thermoluminescence dating of loess 198, 199
- Thorium isotope dating 181
- Torre S'Estatelella stratigraphy 249, 250, 254
- Torreinpietra (Italy) *Equus* records 60, 61
- Tralee Bay stratigraphy 272
- Tree migration rates 140
- Triversa (Italy) stratigraphy 58
- Tullyallen stratigraphy 283
- Tundra soils carbon balance 166-9
- U series dating
  - corals 251, 253
  - mollusks 253, 256
- Valdeganga (Spain) *Equus* records 59, 61
- Valencia, Lake 82, 98
- Vallonet (France) *Equus* records 60-2
- Varzeas 107-9
- Venosa (Italy) *Equus* records 60, 61
- Venta Micena (Spain) *Equus* records 60, 61
- Vertebrate paleontology in loess
  - climatic interpretations 205
  - dating 198
- Vialette (France) stratigraphy 57
- Victoria, Lake 84
- Villafranchian Stage 55-9, 61-3
- Vrica Plio-Pleistocene boundary section 41, 42
- Water, role in charcoal dispersal 5
- Weihe River terrace development 196, 197
- Wind, role in charcoal dispersal 5
- Wisconsinan of Baffin Island 232, 233
- Wood Village stratigraphy 270
- Woodgrange Interstadial 265, 273, 274, 292
- Wucheng Loess Formation
  - fossil content 198, 205
  - physical characters 192, 193, 213, 214
  - stratigraphic correlation 305
- Xian loess stratigraphy 191-4
- Xifeng loess stratigraphy 191-4
- Xixabangma glaciation 312
- Xizang stratigraphy 309
- Yaguarcocha 98, 107
- Yambo, Lake 107
- Yaxha, Lake 118, 119

